

SAFETY DATA SHEET
According to Decree 7 september 2002

N.	X 06
REV.	0
DEL	05/11/2004
RIF. SPEC.	X 06 REV. 0

PRODUCT: XILOWAX

Compilation date : November 2004

1. INFORMATIONS ABOUT THE PRODUCT AND THE PRODUCER**1.1) PRODUCT'S IDENTIFICATION**

Commercial name : XILOWAX

Use : Protective coating

1.2) DATA ABOUT THE PRODUCER

Firm: SAIF S.P.A.

Address : Via Acqui n.31 – ALESSANDRIA (ITALIA)

Telephone number : 0131 – 269207/8

Telephone number in case of emergency: 0131 – 269207/8

2. COMPOSITION/INFORMATIONS ABOUT INGREDIENTS

	N° CE	N° CAS	N° INDEX	AMOUNT %	SYMBOL	RISK 'S PHRASES
- 1.2 dichloropropane	201-152-2	78-87-5	602-020-00-0	10-12	Xn-F	R 20/22-11
- petroleum naphtha	265-191-7	64742-88-7	649-405-00-X	50-60	Xn	R65
- toluene	203-625-9	108-88-3	601-021-00-3	0,1-0,2	Xn	R20 - 11

Symbols :N = dangerous for
the environment

T = toxic

Xn = harmful

Xi = irritant

F= flammable

Risk's phrases :

R11 = easily flammable

R22/21/22 = Harmful by inhalation, in contact with skin and if swallowed

R20/22 = Harmful by inhalation and if swallowed

R33 = Risk of cumulative effects

R36/38 = Irritating to eyes and skin

R50/53 = Very Toxic to aquatic organisms, may cause long-term
adverse effects in the aquatic environment

R61 = May damage natives

R62 = May reduce fertility

R65 = Harmful : if swallowed may damage lungs

R66 = may damage skin by prolonged exposure

R67 = inhalation may cause sleepiness and giddy spells

SAFETY DATA SHEET
According to Decree 7 september 2002

N. X 06

REV. 0

DEL 05/11/2004

RIF. SPEC. X 06 REV. 0

PRODUCT: XILOWAX

Compilation date : November 2004

3. IDENTIFICATION OF THE DANGERS

- Inflammable temperature of the product is >40°C
- It's toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- The product contains substances classified harmful, or irritant, but with individual concentration lower than the limit imposed by Directive 1999/45/CE about the determination of dangerous properties of the products.

4. FIRST AID INTERVENTIONS

- Skin contact: After contact with skin, wash immediately with plenty of water and soap
- Eyes contact: In case of contact with eyes, rinse immediately with plenty of water for 15 minutes
Take off immediately all contaminated clothing
Seek medical advice
- Ingestion: Seek medical advice
Induce vomiting only by medical suggest
- Inhalation: Transfer the patient in ventilated areas
If he feels unwell, seek medical advice immediately

SAFETY DATA SHEET
According to Decree 7 september 2002

N. X 06

REV. 0

DEL 05/11/2004

RIF. SPEC. X 06 REV. 0

PRODUCT: XILOWAX

Compilation date : November 2004

5. FIRE SAFETY MEASURES

The product is classified inflammable.

FIRE – FIGHTING EQUIPMENT:

Dusts extinguisher, CO2, foam, vaporized water

WRONG EXTINCTION'S WAY:

Water's throws.

RISK FROM ESPOSITION :

Fumes of combustion are toxic: toxic gases (CO, NO, HCl) may also develop by thermal decomposition

PROTECTIVE WAYS:

Suitable respiratory equipment

PRECAUTIONS:

In case of fire, cool containers exposed at fire with water.

6. MEASURES IN CASE OF ACCIDENTAL DISPERSION**INDIVIDUAL PRECAUTIONS:**

Wear suitable gloves and protective clothing

ENVIRONMENTAL PRECAUTIONS:

Contain wastes with land or sand.

Eliminate all free flames and possible sources of ignition . No smoking.

If the product has flown in a water course or in the drains or has contaminated the soil or the vegetation, inform competent authorities.

CLEANING METHODS:

Disposal contaminated material in according to law in force.

SAFETY DATA SHEET
According to Decree 7 september 2002

N.	X 06
REV.	0
DEL 05/11/2004	
RIF. SPEC.	X 06 REV. 0

PRODUCT: XILOWAX

Compilation date : November 2004

7. MANIPOLATION AND STORING**MANIPOLATION:**

Avoid the contact and inhalation of vapours.
Don't eat or drink during the work. Don' t smoke.
Avoid the accumulation of static discharges.

INCOMPATIBLE MATERIALS:

Avoid the contact with comburent materials: may cause the fire of the product.

STORING CONDITIONS:

Keep away from free flames, sparks and sources of ignition. Avoid direct sun exposition.

PLACES INDICATIONS:

Keep in a cool place and areated

8. PERSONAL PROTECTION / CONTROL OF THE EXPOSITION**- PERSONAL PROTECTION**

RESPIRATORY WAYS PROTECTION : Any particular respiratory equipment isn't necessary for the normal use of the product.

HANDS PROTECTION : Wear suitable gloves

EYES PROTECTION : Wear suitable glasses to avoid squirts in the eyes.

SKIN PROTECTION : Isn't necessary any particular protection.

PRECAUTIONAL MEASURES : Work according to good practices and observe safe measures generally valid for chemical product.

EXPOSITON CONTROL :**SUBSTANCE****EXPOSITION LIMITS**

toluene	TLV TWA 188.000 mg/m ³ ACGIH
dicloropropane	TLV TWA 347.000 mg/m ³ ACGIH TLV STEL 508.000 mg/m ³ ACGIH

9. CHEMICAL AND PHYSICAL MEASURES:

Physical form : liquid
Colour : milky
Smell : turpentine
Viscosity : 500÷1000
Specific weight : 0,8 kg/ℓ
Inflammable point : >40°C
Comburent power : it isn't comburent

SAFETY DATA SHEET
According to Decree 7 september 2002

N.	X 06
REV.	0
DEL	05/11/2004
RIF. SPEC.	X 06 REV. 0

PRODUCT: XILOWAX

Compilation date : November 2004

10. STABILITY AND REACTIVITY

The product is stable in normal conditions.

Avoid the contact with comburent materials : the product may catch fire.

11. TOSSICAL INFORMATIONS

It refers informations about principal ingredients of the product :

- PLYOLITE RESIN:

May damage skin by prolonged exposure .

Inhalation of the vapours may cause dizziness and sleepiness.

- TURPENTINE:

If swallowed may cause depression of the central nervous system with headaches, dizziness, sleepiness, muscular weakness, coordination programs, fatigue, confused vision and way of speaking .

If swallowed may also cause abdominals pains with nausea and vomit .

12. ECOLOGICAL INFORMATIONS

Avoid scatter the product in the environment .

The product is toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET
According to Decree 7 september 2002

N.	X 06
REV.	0
DEL	05/11/2004
RIF. SPEC.	X 06 REV. 0

PRODUCT: XILOWAX

Compilation date : November 2004

13. DISPOSAL

PRODUCT DISPOSAL : collect it in plastic containers and consider it like industrial waste

CONTAINERS DISPOSAL : empty container must be washed and considered industrial waste or recycle residuals

14. INFORMATIONS ABOUT THE TRANSPORT

Road and rail transport (ADR/RID) : Class 3
Packaging group: III
ONU Code: 1263
Kember number : 30
Label number : 3

Air transport (ICAO/IATA) : Class 3

Maritime transport (IMAG/IMO) : Class 3.3
IMAG page 3372

15. INFORMATIONS ABOUT LAW

Classification in law to Directive 1999/45/CE of 31st May 1999.

SYMBOLS : N = Dangerous for the environment
Xn = Harmful
F = flammable

PHRASES R : 10 = Inflammable
11= Easily flammable
51 = Toxic to aquatic organisms,
53 = May cause long-term adverse effects in the aquatic environment
65 = If swallowed may damage lungs

PHRASES S : 9= store in a ventilated area
16= keep away from flames and sparks. Do not smoke
29 = Do not empty into drains
33 = avoid electrostatic charges accumulation
35 = This material and its container must be disposed of in a safe way
36/37= use protective clothing and gloves.
43 = In case of fire, use dusts extinguisher, CO2, foam, vaporized water
61 = Avoid release to the environment. Refer to special instructions safety data sheet
62 = Do not induce vomiting: seek medical advice immediately and show this container or label.

It contains lead salts.

SAFETY DATA SHEET
According to Decree 7 september 2002

N. X 06

REV. 0

DEL 05/11/2004

RIF. SPEC. X 06 REV. 0

PRODUCT: XILOWAX

Compilation date : November 2004

16. OTHER INFORMATIONS

THE DATA REPORTED ARE BASED ON OUR ACTUAL KNOWLEDGE, DON'T RAPPRESENT ANY GARANCY OF THE CHARATCTERISTICS OF THE PRODUCT AND DON'T JUSTIFY ANY LEGAL CONTRACTUAL RELATION.